

Model: BDFL-16 / BDFL-04

Fast Ladder

CLIMBING STICKS

MAXIMUM WEIGHT LIMIT—300 POUNDS



WARNING

- When hunting from any treestand, falls can occur at any time which can cause serious injury or death. ALWAYS use a Fall Arrest System (FAS) at all times prior to leaving the ground. NEVER be detached from the tree for any reason or at any time.
- Please do not return this product to the retailer. Call BIG DOG TREESTANDS toll free (1-866-387-2002) for quick replacement of any damaged or missing parts.



Please inspect the shipping carton for evidence of damage or that it may have been opened before you received it. Then inspect your product carefully. Compare it to the image on the product label and the picture illustration in your instructions. You must check and tighten all bolts before each use. If for any reason you are not satisfied with the product, do not use it until the problem is solved or corrected.

PACKING LIST: BDFL-16 (16' Fast Ladder)

A	12	U-Step	Part # FLUS-100
B	12	Support Brace	Part # FLSB-100
C	12	Looped Ratchet Straps	Part # LR-200
	48	6mm x 2" Bolt	Part # 1015
	48	6mm Locknut	Part # 2010

PACKING LIST: BDFL-04 (Fast Ladder Extension)


A	4	U-Step	Part # FLUS-100
B	4	Support Brace	Part # FLSB-100
C	4	Looped Ratchet Straps	Part # LR-200
	16	6mm x 2" Bolt	Part # 1015
	16	6mm Locknut	Part # 2010

WARNING

- Always test/practice at ground level w/treestand/Climbing Sticks and FAS until comfortable with use of products.
- Proper threading/location of straps is critical. Insure all straps are properly attached/threaded and are free of damage/wear prior to each use.
- ALWAYS have someone help aid in set-up/removal of this product. ALWAYS use a climbing belt of your Fall Arrest System for USE/set-up/removal of this product and in conjunction with any treestand. Never be disconnected from the tree at anytime.
- Replace ALL straps (ratchet) annually and ALL Hardware (bolts/nuts/cables) every (2) years. Use only Big Dog Treestands certified replacement parts/components, all others are viewed as a modification to the product. Frequently lubricate all hardware/parts or as needed.
- Use of the climbing belt of the FAS is required when installing/removing climbing aide or treestand. The climbing belt is used as means of stabilization during ascent/descent/installation of climbing sticks/Treestands.
- Always use a Haul Line to raise/lower treestand/climbing aide from the tree while attached w/climbing belt/tether strap.
- Insure ALL contact points of the climbing aide/treestand/FAS are in contact/secured with the tree before climbing onto the platform.

ASSEMBLY INSTRUCTIONS (ALL MODELS)

1. Lay (1) U-Step (Item A) flat on the table or bench. Next, place (1) Support Brace (Item B) to the top side of the U-Step (Item A) and align the holes in both components. Note: The Support Brace orientation is critical. Insure that the gussets are facing TOWARD the stepping area of the U-Step. Secure together using (2) 6mm x 2" bolts and secure with (2) 6mm Locknuts. Note: Insure to place the locknut under the welded gusset of the Support Brace (Item B) and the alternate the direction of other bolt connection. Repeat on the opposite side. **(Fig. 1)**
2. Place (1) U-Step (Item A) on top of the (2) pre-assembled Support Brace(s). Align the holes on both ends and insert (2) 6mm x 2" Bolts on each side and secure with (4) 6mm Locknuts. Note: Insure that the all the bolt heads on this part are to the U-Step component. (This will be the top step of the assembly) **(Fig. 2)**
3. Tighten all bolt/locknuts securely.
4. Attach (1) Looped Ratchet Strap mechanism inside each gusseted area on one side of the assembly. Next, secure the looped ends directly across from the ratchet mechanism inside the gusseted area on the opposite side (2) ratchet straps per each section. NOTE: Insure all straps are attached/secured properly. **(Fig. 3)**



INSTRUCTIONS FOR USE (ALL MODELS)


1. Use of the climbing belt of the FAS is required when installing/removing climbing aide or treestand. The climbing belt is used as means of stabilization during ascent/descent/installation/removal of climbing aide/ Treestands.
2. Place (1) pre-assembled Fast Ladder Section against the tree no more than 15" above the ground. Wrap each strap around the tree and insert each end through each one of the ratchet mechanisms barrels and pull tight. Next, ratchet each mechanism until the assembly is firmly against the tree. Attach FAS system to the tree. Keeping one foot on the ground, test to insure that the section is firmly against the tree. With use of a hoist or rope, carefully pull up another pre-assembled section and attach to the tree. Place additional sections no more than 15" apart from the previous section. Hint: Have another person tie off the sections to your hoist/rope at ground level to keep from returning to the ground for additional step sections. ALWAYS use a Fall Arrest System at ALL times during the set-up/use/or removal of this product. Please call if any questions/ concerns on product use.
3. IMPORTANT: Insure that all contact points of the Ladder section assembly are in contact with the tree at all times. Inspect ALL straps prior to each use. Do not leave attached to the tree for more than (2) weeks due to tree growth.

INSTRUCTIONS FOR REMOVAL


1. Attached to the tree with you Fall Arrest System by means of your climbing belt, while standing on the lower Fast Ladder assembly, carefully loosen and remove the ratchet straps from the Fast Ladder Section while safely standing on the lower ladder section assembly. Next, carefully lower the section to the ground by means of a hoist or rope. HINT: Have (1) person remove each section from hoist line at ground level to keep from returning to the ground to remove from the tree. Next, carefully step down to the next Fast Ladder Assembly and remove the next set of ratchet straps and carefully lower the section to the ground. Repeat until safely back to the ground. IMPORTANT: Never be disconnected from the tree from your climbing belt or tether strap of your Fall Arrest System. NEVER detach ANY section while standing on the section be removed.

STRAP INSTRUCTIONS


ATTACHING INSTRUCTIONS FOR LOOPING



Wrap the sewn loop end of the ratchet mechanism around the tube.




Spread the looped end open and pull the ratchet mechanism through the sewn loop.




Pull the ratchet mechanism tight till the strap is tight around the tube.


RATCHET STRAP THREADING INSTRUCTIONS



Thread strap up through barrel as illustrated above.



Pull strap tight, then ratchet lever to secure strap tight. Ratchet at least three(3) wraps around barrel.



To release tension, push spring-loaded retaining lock and simultaneously pull strap.

SAFETY WARNINGS

Please Read/Understand ALL Safety Warnings prior to each use and always practice at ground level First!

ALWAYS

- Read and Understand ALL instructions and warning pages thoroughly before using your Fall Arrest System (FAS), treestand, ratchet/stabilizing straps/ropes and climbing devices prior to each use. Replace suspected or damaged components with only factory authorized parts and components. Discontinue use if any part of your product/FAS shows weathering or wear. ALWAYS inspect/check ALL expiration dates/tags on all straps/FAS prior to each use.
- Practice using the treestand and FAS at ground level until comfortable with safe/proper use of both products prior to each use.
- Insure that your Fall Arrest System (FAS), treestand, tree straps and climbing devices are in good working order without defects, wear, broken or missing parts before each use. This inspection includes the following prior to each use: Retightening all hardware, inspecting all components made of metallic and non-metallic items which includes straps/ropes/seats/FAS for excessive wear or damage before using any products.
- Always wear a Fall Arrest System properly attached to the tree from the time you leave the ground until the time you return to the ground. Keep the tether strap between you and the tree as short as possible to reduce the distance in case of a fall. Keep the linesman strap tight on the tree while you ascend or descend from the tree. The FAS tether must be tight while in a seated position.
- Practice your Recovery/Rescue/Relief plan with your (FAS) at ground level before using in an elevated position prior to each use.
- Step down into the center of the platform from your climbing aide while being attached to the tree with your FAS by either the tether strap or linemans strap. Position your fixed position stand below the end of your climbing aide to allow you to step down safely into the center of the platform.
- Store your Fall Arrest System (FAS), treestand, straps/ropes, complete set of instructions/warnings and climbing devices in a cool/dry location away from sun light, weathering, sharp objects or any type of wildlife. NOTE: Wildlife may chew on straps/seats while the stand is not in use and may cause serious damage. Check ALL straps and seats prior to each use. Review all warnings/instructions annually and prior to each use of the products.
- Hunt with a friend/partner to ensure that someone knows your hunting location as well as the time you are due to return home or to camp. Practice a safe recovery/rescue/relief plan with your FAS and treestand at ground level prior to each use.
- Before each use, insure that all ladder sections are secured/pinned together, all straps and ropes are free of damage or wear, ground beneath the ladder or foot pads is firm and level, adjustable support bar is attached and secured properly to the tree and the criss-cross ropes are secured properly before each use. Do not use if sections are separated or if there is any visible wear or damage present on treestand, straps, ropes or FAS.
- Take your time and move slowly at all times that while you are using, climbing to, or descending from your treestand. Use 3 Point Climbing Technique while ascending to or descending from this product while using your Fall Arrest System (FAS) at all times. Never lean backwards while climbing.
- Use (3) or more people to set-up or removal of any treestand unless instructed to have more people present. Use a min. 12" diameter straight/healthy tree on ALL treestands.
- Use a hoist line to pull fixed position stand(s) up to the positioning height below the end of the climbing aide while attached to the tree with climbing belt of your FAS.
- Understand the intended use for the treestand/FAS and adhere to all instructions/warnings which pertain to the safe use of Big Dog Treestands products.
- Have a cell phone, walkie-talkie, two-way radio, GPS locator or whistle on your person at all times for emergency purposes and ALWAYS inform someone of your hunting location and return time in the event of an emergency. Always practice/review your rescue/recover/relief plan prior to each use.
- There is time to make a correct decision on what action to take if a fall occurs while wearing a full body harness. It is important to remember, "DO NOT PANIC". Remain calm and implement your practiced rescue, relief and recovery plan.

NEVER

- Leave the ground without properly wearing your FAS harness and being properly attached to the tree from the time you leave the ground until you return to the ground. Failure to wear FAS or FAS not attached to the tree properly could result in serious injury or death. If FAS is not present, do not leave the ground. Single safety belts straps and chest harnesses ARE NO LONGER ALLOWED AND SHOULD NEVER BE USED.
- Climb with your weapon. Ensure that the firearm/bow is unloaded with its barrel pointed toward the ground when raising or lowering it to your stand. Always use a safe hoist/lift system on the opposite side of the tree from which you climbed while attached safely to the tree with your FAS.
- Climb with anything on your back/waist/or side that will restrict your movement or will interfere with safely using your FAS harness or treestand.
- Exceed the manufacturer's total weight limit for the product which includes your body weight plus the weight of your clothing/gear.
- Adjust ANY straps/ropes/adjustable support bars while standing on or leaning against any treestand nor use if any are not present or show damage or wear.
- Use this product if you are under the influence of alcohol, mind-altering drugs, prescription medicine, cold or flu medications, have heart problems or conditions, dizzy or have dizzy spells, sleepy or tired, afraid of heights, physically/mentally impaired to use product properly/safely, feeling ill, nauseous, if Fall Arrest System is not present, or if you have a prior medical condition that could cause a problem i.e. heart condition, joints that lock-up, spinal fusions, etc or if you are not well rested. Do not use any product without consent from your doctor for safe & proper use.
- Modify your stand in any way by repairs, replacing parts, or alternating or adding attachments to it except if explicitly authorized in writing by manufacturer.
- Replace parts/add attachments/adjust platform/make repairs unless the product is at GROUND LEVEL only.
- Exceed/modify the suggested manufactures hunting height for any product.
- Jump, bounce, lean-out from, lean against shooting rails or SLEEP in any treestand for any reason at any time.
- Leave any treestand attached to the tree more than (2) two weeks. Tree growth will stress the straps to the point of a possible failure that could result in serious bodily injury or death.
- Use any treestand during thunderstorm/raining/sleet/snow storms or any other adverse weather conditions that have the potential to produce lightning, high winds, or if snow/ice/water is present on the platform or climbing steps. If inclement conditions arise, end your hunt and return the ground.
- Use a tree stand for any purpose other than hunting. Do not use on utility poles or any other man made structures.
- Loan or let anyone use the treestand or FAS Harness without reading/understanding all product instructions/warnings of the product(s). If sold, a complete set of instructions/warnings must be given to purchaser. It is responsibility of the treestand/FAS owner to insure the borrower or buyer furnishes a complete set of instructions and safety warnings.
- Make any modifications/alterations to this product without written consent. Any/All modifications/alterations will void all warranties and relieve Big Dog Treestands Inc. from all liabilities.
- Climb/Use a tree that is diseased, dead, under sized, leaning, has dead/broken branches/loose bark.
- Stand on the seat/footrest/shooting rail/armrest or rely on any branches for support or means of securing or standing.

WARNING

- Failure to Read/Understand ALL Warnings and Instructions stated could result in serious bodily injury or death. Use of an approved FAS is required to be used at all times when hunting from an elevated position.
- You must replace ALL straps (ratchet, button, stabilizing straps/ropes, etc) and suspension seats EVERY year. Use only Big Dog replacement straps and parts. Any other straps or parts will be viewed as a modification to the product. Any modification will void the warranties and relieve Big Dog Treestands Inc. from all liabilities.
- ALWAYS inspect treestand/straps/cables/FAS/ if ladder sections are pinned together/ground beneath the ladder stand is firm and level/adjustable support bar is connected to the tree properly prior to each use. Do not use if ANY physical/visible damage/wear is suspected or present.
- It is recommended that you oil/lubricate ALL hardware as needed or at least annually. It is recommended that you replace all hardware/cables/nuts/bolts/clips on your tree stand every two years or sooner if inspection finds it necessary.
- Failure to use a Fall Arrest System (FAS) at ALL times could result in serious bodily injury or death.
- Insure ALL contact points of the treestands and FAS are in contact with the tree and are secured properly before climbing onto the platform or leaving the ground.
- Proper threading/tightening/fastening/location of all straps/cables are CRITICAL. Insure all straps/cables are properly attached/fastened/secured/loacted on the tree and are free of damage/wear/ weathering/deterioration prior to each use.
- Inspect all expiration tags on all straps and FAS prior to each use. Replace all straps annually. Replace all hardware every (2) years. Use only Big Dog Treestands certified replacement parts, all other are viewed as a modification to the product. Never use any strap(s) or FAS that has expired or showing any damage or wear.
- Always use a haul line while attached to the tree with your FAS by means of the linemans strap/ climbing belt to pull up or take down all fixed position stands.
- Insure all Tripods and Quadpods are properly staked to the ground to prevent movement in the unit in high winds. Note: It is advisable to have a certified electrician ground these unit(s) to the ground in the event of being struck by lightning.